

**CITY OF WILSONVILLE  
CITY COUNCIL  
NOTICE OF PUBLIC HEARING**

**PUBLIC NOTICE IS HEREBY GIVEN** that the Wilsonville City Council will conduct a public hearing on September 15, 2025, at 7:00 p.m. City Hall, 29799 SW Town Center Loop East, Wilsonville, Oregon.

The purpose of this public hearing is to consider public testimony on proposed Resolutions. entitled:

**Resolution 3209**

A Resolution of the City of Wilsonville Adopting the Sewer System Development Charge Methodology Reports and Establishing the Charge Rates and Amending Resolution No. 1987.

**Resolution 3210**

A Resolution of the City of Wilsonville Adopting the Stormwater System Development Charge Methodology Reports and Establishing the Charge Rates and Amending Resolution No. 2353.

Copies of the proposed ordinance may be obtained at [www.wilsonvilleoregon.gov](http://www.wilsonvilleoregon.gov) or by contacting the City Recorder at [cityrecorder@wilsonvilleoregon.gov](mailto:cityrecorder@wilsonvilleoregon.gov) or 503-570-1506 and requesting a copy to be emailed or mailed to you at a cost of 25 cents per page.

Specific suggestions or questions concerning the proposed item may be directed to Zach Weigel, City Engineer by email at [weigel@wilsonvilleoregon.gov](mailto:weigel@wilsonvilleoregon.gov) or by calling 503-570-1565. Public testimony, both oral and written will be accepted at the public hearing. Written statements are encouraged and may be submitted to City Recorder, 29799 SW Town Center Loop E, Wilsonville, OR 97070 or by email at [cityrecorder@wilsonvilleoregon.gov](mailto:cityrecorder@wilsonvilleoregon.gov).

Assistive listening devices are available for persons with impaired hearing and can be scheduled for this meeting. The City will endeavor to provide qualified sign language interpreters without cost if requested at least 48 hours prior to the meeting. To obtain such services call the office of the City Recorder at 503-570-1506 or by email at [cityrecorder@wilsonvilleoregon.gov](mailto:cityrecorder@wilsonvilleoregon.gov).